

## Author Index

- AARDEN, L.A. *see* DUTTS, A.J.  
 ABIOSE, A. *see* EDGEWORTH, J.D.  
 ABRAHAM, L.J., FRENCH, M.A.H. & DAWKINS, R.L. Polymorphic MHC ancestral haplotypes affect the activity of tumour necrosis factor- $\alpha$ , 14  
 ADEBAJO, A.O., CHARLES, P., MAINI, R.N. & HAZLEMAN, B.L. Autoantibodies in malaria, tuberculosis and hepatitis B in a West African population, 73  
 AGER, A. *see* ENSARI, A.  
 ÁGUAS, A.P. *see* CASTRO, A.P.  
 AIMO, G. *see* MERICO, F.  
 AIUTI, F. *see* PANDOLFI, F.  
 ALCALDE, L. *see* ROURA-MIR, I.C.  
 ALDERMAN, E. *see* LECRON, J.C.  
 ALEXANDER, J.W. *see* WHITE-OWEN, C.  
 ALLEN, A. *see* TODD, A.  
 ALVAREZ, F. *see* YAMAMOTO, A.M.  
 ANDERSSON, J. & ANDERSSON, U. Characterization of cytokine production in infectious mononucleosis studied at a single-cell level in tonsil and peripheral blood, 7  
 ANDERSSON, U. *see* ANDERSSON, J.  
 ANTONI, C. *see* WOITH, W.  
 ARMENGOL, P. *see* VIVES-PI, M.  
 ARREAZA, E.E., SISKIND, J.J., GIBBONS G.W. & WEKSLER, M.E. Lower antibody response to tetanus toxoid associated with higher auto-antidi-  
 otypic antibody in old compared with young humans, 169  
 ATKINS, R.C. *see* LAN, H.Y.  
 AVENTAGGIATO, L. *see* SCHENA, F.P.  
 AVILA, J.L., ROJAS, M. & CARRASCO, H. Elevated levels of antibodies against sulphatide are present in all chronic chagasic and dilated cardiomyopathy sera, 460  
 BABCOCK, G.F. *see* WHITE-OWEN, C.  
 BACON, P.A. *see* VINER, N.J.  
 BAHN, R.S. *see* HEUFELDER, A.E.  
 BALLOW, M. *see* WANG, W.  
 BARMAN, N.N. *see* ROTHKÖTTER, H.J.  
 BARRETT, A.W., ROSS, D.A. & GOODACRE, J.A. Purified human oral mucosal Langerhans cells function as accessory cells *in vitro*, 158  
 BEARDSLEY, A. *see* DAMMACCO, F.  
 BEHAM, A. *see* DIMAL, P.  
 BENUZZI, S. *see* SCHENA, F.P.  
 BERG, P.A. *see* KLEIN, R.  
 BERGER, M.F. *see* BOYLE, M.J.  
 BERGUL, L. *see* MERICO, F.  
 BIRD, A.G. *see* WATRET, K.C.  
 BISHOP, R. *see* FRIEDMAN, M.G.  
 BJÖRVELL, H. *see* GARDULF, A.  
 BOLHUIS, R.L.H. *see* GRATAMA, J.W.  
 BOOM, B.W. *see* MOMMAAS, A.M.  
 BORNE, A.E.G. KR VON DEM *see* DOLMAN, K.M.  
 BOSSUS, M. *see* JEANNIN, P.  
 BOUMSELL, L. *see* VASSILEV, T.  
 BOYER, V., SMITH, L.R., FERRE, F., PEZZOLI, P., TRAUGER, R.J., JENSEN, F.C. & CARLO, D.J. T cell receptor V $\beta$  repertoire in HIV-infected individuals: lack of evidence for selective V $\beta$  deletion, 437  
 BOYLE, M.J., BERGER, M.F., TSCHUCHNIGG, M., VALENTINE, J.E., KENNEDY, B.G., DIVJAK, M., COOPER, D.A., TURNER, J.J., PENNY, R. & SEWELL, W.A. Increased expression of interferon-gamma in hyperplastic lymph nodes from HIV-infected patients, 100  
 BRAAKMAN, E. *see* GRATAMA, J.W.  
 BRANDTZAEG, P. *see* THRANE, P.S.  
 BRENDEN, M. *see* DE MESSIAS, I.J.T.  
 BROWELL, D.A. *see* LIN, Y.  
 BRUIJN, J.A. *see* STAD, R.K.  
 BRUIJN, R.J. *see* GRATAMA, J.W.  
 BÜNGER, G. *see* SEELIG, R.  
 BUSHELL, A.R. *see* PEARSON, T.C.  
 CALIGARIS-CAPPIO, F. *see* MERICO, F.  
 CAPEL, P.J.A. *see* DUTTS, A.J.  
 CARAYON, P. *see* RUF, J.  
 CARLO, D.J. *see* BOYER, V.  
 CARRASCO, H. *see* AVILA, J.L.  
 CASTRO, A.P., ÁGUAS, A.P. & SILVA, M.T. Adjuvant treatment increases the resistance to *Mycobacterium avium* infection of Mycobacteria-susceptible BALB/c mice, 466  
 CHARLES, P. *see* ADEBAJO, A.O.  
 CHARLESWORTH, J.A. *see* MILIS, L.  
 CHEVALIER, S. *see* LECRON, J.C.  
 CHIKANZA, I.C., ROUX-LOMBARD, P., DAYER, J.-M. & PANAYI, G.S. Tumour necrosis factor soluble receptors behave as acute phase reactants following surgery in patients with rheumatoid arthritis, chronic osteomyelitis and osteoarthritis, 19  
 CHRISTIE, J.F., DUNBAR, B. & KENNEDY, M.W. The ABA-1 allergen of the nematode *Ascaris suum*: epitope stability, mass spectrometry, and N-terminal sequence comparison with its homologue in *Toxocara canis*, 125  
 CILLO, M. *see* SCHENA, F.P.  
 COAN, R. *see* TODD, A.  
 COHEN, J. *see* TONOLI, M.  
 CONDEZ, A. *see* LIM, S.G.  
 COOPER, D.A. *see* BOYLE, M.J.  
 COSTIGLIOLA, P. *see* LISIGNOLI, G.  
 DAGAN, R. *see* FRIEDMAN, M.G.  
 DAHA, M.R. *see* STAD, R.K.  
 DAMMACCO, F., SANSONNO, D., BEARDSLEY, A. & GOWANS, E.J. Failure to detect hepatitis C virus (HCV) genome by polymerase chain reaction in human anti-HCV-positive intravenous immunoglobulins, 205  
 DAMSMA, I. *see* DOLMAN, K.M.  
 DARBY, C.R. *see* PEARSON, T.C.  
 DAUCHEL, H., JOLY, P., DELPECH, A., THOMINE, E., SAUGER, F., LOET, X. LE, LAURET, Ph., TRON, F., FONTAINE, M. & RIPOCHE, J. Local and systemic activation of the whole complement cascade in human leukocytoclastic cutaneous vasculitis; C3dg and terminal complement complex as sensitive markers, 274  
 DAVIES, K.A. *see* TONOLI, M.  
 DAWKINS, R.L. *see* ABRAHAM, L.J.  
 DAYER, J.-M. *see* CHIKANZA, I.C.  
 DE BAETS, M.H. *see* GRAUS, Y.M.F.  
 DEGRASSI, A. *see* LISIGNOLI, G.  
 DEJICA, D.I. *see* WOITH, W.  
 DE LEMOS-CHIARANDINI, C. *see* YAMAMOTO, A.M.  
 DELPECH, A. *see* DAUCHEL, H.  
 DELRIEVE, L. *see* KOBAYASHI, E.  
 DEMAINE, A.G. *see* WONG, F.S.  
 DE MESSIAS, I.J.T., SANTAMARIA, J., BRENDEN, M., REIS, A. & MAUFF, G. Association of C4B deficiency (C4B\*Q0) with erythema nodosum in leprosy, 284  
 DE MICCO, C. *see* RUF, J.  
 DIMAL, P., WILDERS-TRUSCHNIG, M., MOOIJ, P., LEB, G., EBER, O., LANGSTEGE, W., HEBENSTREIT, J., BEHAM, A., STIEGLER, C., DOHR, G. & DREXHAGE, H.A. Expression of various MHC class II molecules and of intracellular adhesion molecule-1 (ICAM-1) on focal clusters of dendritic cells in iodine deficiency goitres, 397  
 DIVJAK, M. *see* BOYLE, M.J.  
 DOHR, G. *see* DIMAL, P.  
 DOLMAN, K.M., DAMSMA, I., TOOL, A.T.J., SONNENBERG, A., BORNE, A.E.G. KR VON DEM & GOLDSCHMEDING, R. A novel specificity of

- anticytoplasmic autoantibodies directed against eosinophil peroxidase, 58
- DREXHAGE, H.A. *see* DIMAL, P.
- DUITS, A.J., AARDEN, L.A., ERNST, L.K., CAPEL, P.J.A. & VAN DE WINKEL, J.G.J. Isotype-specific cross-linking of select human Fc $\gamma$ R isoforms triggers release of IL-6, 225
- DUNBAR, B. *see* CHRISTIE, J.F.
- DUNCKLEY, H. *see* JAZWINSKA, E.C.
- DURAND-GORDE, J.M. *see* RUF, J.
- EBER, O. *see* DIMAL, P.
- EDGEWORTH, J.D., ABIOSSE, A. & JONES, B.R. An immunohistochemical analysis of onchocercal nodules: evidence for an interaction between macrophage MRP8/MRP14 and adult *Onchocerca volvulus*, 84
- EHRENSTEIN, M., LONGHURST, C. & ISENBERG, D.A. Production and analysis of IgG monoclonal anti-DNA antibodies from systemic lupus erythematosus (SLE) patients, 39
- ENGELHART, S. *see* KLEIN, R.
- ENOSAWA, S. *see* KOBAYASHI, E.
- ENSARI, A., AGER, A., MARSH, M.N., MORGAN, S. & MORIARTY, K.J. Time-course of adhesion molecule expression in rectal mucosa of gluten-sensitive subjects after gluten challenge, 303
- ERNST, L.K. *see* DUITS, A.J.
- FACCHINI, A. *see* LISIGNOLI, G.
- FANALES-BELASIO, E. *see* PANDOLFI, F.
- FELDMANN, M. *see* WILLIAMS, R.O.
- FERRAND, M. *see* RUF, J.
- FERRARO, A.S. & NEWKIRK, M.M. Correlative studies of rheumatoid factors and anti-viral antibodies in patients with rheumatoid arthritis, 425
- FERRE, F. *see* BOYER, V.
- FINNEY, M. *see* KATIRA, A.
- FOZ, M. *see* ROURA-MIR, I.C.
- FRENCH, M.A.H. *see* ABRAHAM, L.J.
- FRIEDMAN, M.G., SEGAL, B., ZEDAKA, R., SAROV, B., MARGALITH, M., BISHOP, R. & DAGAN, R. Serum and salivary responses to oral tetraivalent reassortant rotavirus vaccine in newborns, 194
- FRIETZLER, M.J. *see* KRISHNA, P.
- FROEBEL, K.S. *see* WATRET, K.C.
- FUKUMOTO, M. *see* MURAKAMI, K.
- GARDULF, A., BJÖRVALL, H., GUSTAFSON, R., HAMMARSTRÖM, L. & SMITH, C.I.E. The life situations of patients with primary antibody deficiency untreated or treated with subcutaneous gammaglobulin infusions, 200
- GASCAN, H. *see* LECRON, J.C.
- GASTON, J.S.H. *see* VINER, N.J.
- GATENBY, P.A. *see* JAZWINSKA, E.C.
- GELIN, C. *see* VASSILEV, T.
- GHIA, P. *see* MERICO, F.
- GOLDSCHMEDING, R. *see* DOLMAN, K.M.
- GOMBERT, J. *see* LECRON, J.C.
- GOODACRE, J.A. *see* BARRETT, A.W.
- GORDON, J. *see* KATIRA, A.
- GOTO, S. *see* KOBAYASHI, E.
- GOWANS, E.J. *see* DAMMACCO, F.
- GRATAMA, J.W., BRUIN, R.J., LAMERS, C.H.J., OOSTEROM, R., BRAAKMAN, E., STOTER, G. & BOLHUIS, R.L.H. Activation of the immune system of cancer patients by continuous i.v. recombinant IL-2 (rIL-2) therapy is dependent on dose and schedule of rIL-2, 185
- GRAUS, Y.M.F., VRIESMAN, P.J.C. VAN BREDA & DE BAETS, M.H. Characterization of anti-acetylcholine receptor (AChR) antibodies from mice differing in susceptibility for experimental autoimmune myasthenia gravis (EAMG), 506
- GREGORETTI, M.G. *see* MERICO, F.
- GUERRA, E. *see* PANDOLFI, F.
- GUSTAFSON, R. *see* GARDULF, A.
- HAANAES, H.R. *see* THRANE, P.S.
- HADA, T. *see* MAEDA, J.
- HAEFFNER-CAVAILLON, N. *see* THIEBLEMONT, N.
- HALSTENSEN, T.S. *see* THRANE, P.S.
- HAMMARSTRÖM, L. *see* GARDULF, A.
- HANSSON, I., HOLMDAHL, R. & MATTSOON, R. Pinelectomy ameliorates collagen II-induced arthritis in mice, 432
- HARTMANN, S. *see* WHITE-OWEN, C.
- HASKARD, D.O. *see* WELLCOME, S.M.
- HATA, N. *see* WAKIYAMA, H.
- HAZLEMAN, B.L. *see* ADEBAJO, A.O.
- HEBENSTREIT, J. *see* DIMAL, P.
- HENRICHSEN, J. *see* KONRADSEN, H.B.
- HERRMANN, M. *see* WOITH, W.
- HEUFELDER, A.E. & BAHN, R.S. Soluble intercellular adhesion molecule-1 (sICAM-1) in sera of patients with Graves' ophthalmopathy and thyroid diseases, 296
- HIBBERD, M.L. *see* WONG, F.S.
- HIGASHINO, K. *see* MAEDA, J.
- HIRN, M. *see* JAMIN, C.
- HIYAMA, Y. *see* NAKAJIMA, H.
- HOHLBAUM, A. *see* RUDOLPHI, U.
- HOLM, N. *see* KONRADSEN, H.B.
- HOLMDAHL, R. *see* HANSSON, I.
- HOSONO, M. *see* MURAKAMI, K.
- HUBER, T. *see* ROTHKÖTTER, H.J.
- HUNTRISS, J.D., LATCHMAN, D.S. & WILLIAMS, D.G. Lupus autoantibodies discriminate between the highly homologous Sm polypeptides B/B' and SmN by binding an epitope restricted to B/B', 263
- HURME, M. *see* PALKAMA, T.
- INABA, M. *see* MURAKAMI, K.
- ISENBERG, D.A. *see* EHRENSTEIN, M.
- IWAHASHI, N. *see* MAEDA, J.
- JAMIN, C., LAMOUR, A., PENNEC, Y.L., HIRN, M., GOFF, P. LE & YOUNOU, P. Expression of CD5 and CD72 on T and B cell subsets in rheumatoid arthritis and Sjögren's syndrome, 245
- JARAQUEMADA, D. *see* ROURA-MIR, I.C.
- JAZWINSKA, E.C., GATENBY, P.A., DUNCKLEY, H. & SERJEANTSON, S.W. C1 inhibitor functional deficiency in systemic lupus erythematosus (SLE), 268
- JEANNIN, P., PESTEL, J., BOSSUS, M., LASSALLE, P., TARTAR, A. & TONNEL, A.-B. Comparative analysis of biological activities of *Der p* 1-derived peptides on Fc $\epsilon$  receptor-bearing cells from *Dermatophagoides pteronyssinus*-sensitive patients, 133
- JENSEN, F.C. *see* BOYER, V.
- JOHNSON, M.A. *see* LIM, S.G.
- JOLY, P. *see* DAUCHEL, H.
- JONES, B.R. *see* EDGEWORTH, J.D.
- KALDEN, J.R. *see* WOITH, W.
- KAMADA, N. *see* KOBAYASHI, E.
- KAPAH, P. *see* WELLCOME, S.M.
- KATIRA, A., KNOX, K.A., FINNEY, M., MICHELL, R.H., WAKELAM, M. & GORDON, J. Inhibition by glucocorticoid and staurosporine of IL-4 dependent CD23 production in B lymphocytes is reversed on engaging CD40, 347
- KAVERI, S.V. *see* VASSILEV, T.
- KAWACHI, H., OITE, T. & SHIMIZU, F. Quantitative study of mesangial injury with proteinuria induced by monoclonal antibody 1-22-3, 342
- KAWACHI, H. *see* NARISAWA, M.
- KAZATCHKINE, M.D. *see* THIEBLEMONT, N.
- KAZATCHKINE, M.D. *see* VASSILEV, T.
- KEMP, A. *see* TANG, M.
- KENNEDY, B.G. *see* BOYLE, M.J.
- KENNEDY, M.W. *see* CHRISTIE, J.F.
- KIM, Y. IL *see* KOBAYASHI, E.
- KINDAS-MÜGGE, I., STEINER, G. & SMOLEN, J.S. Similar frequency of autoantibodies against 70-kD class heat-shock proteins in healthy subjects and systemic lupus erythematosus patients, 46
- KIRBY, J.A. *see* LIN, Y.
- KLEIN, R., WIEBEL, M., ENGELHART, S. & BERG, P.A. Sera from patients with tuberculosis recognize the M2a-epitope (E2-subunit of pyruvate dehydrogenase) specific for primary biliary cirrhosis, 308
- KNOX, K.A. *see* KATIRA, A.
- KOBAYASHI, E., KAMADA, N., ENOSAWA, S., TOYAMA, N., DELRIVIERE, L., GOTO, S., KIM, Y. IL & MIYATA, M. Comparison of potentiality to induce graft-versus-host reaction with small bowel, pancreas/spleen, and liver transplantation in the rat, 527

- KONRADSEN, H.B., HENRICHSEN, J., WACHMANN, H. & HOLM, N. The influence of genetic factors on the immune response as judged by pneumococcal vaccination of mono- and dizygotic Caucasian twins, 532
- KOOPMAN, W.J. *see* MACDERMOTT, R.P.
- KRETSCHMAR, M. *see* WAGNER, J.A.
- KRISHNA, P., FRITZLER, M.J. & VAN DE SANDE, J.H. Interactions of anti-DNA antibodies with Z-DNA, 51
- KRISHNAMOORTHY, R. *see* YAMAMOTO, A.M.
- KURIBAYASHI, K. *see* MURAKAMI, K.
- L'AGE-STEHR, J. *see* THIEBLEMONT, N.
- LAHAT, N., SHTILLER, R., ZLOTNICK, A.Y. & MERIN, G. Early IL-2/sIL-2R surge following surgery leads to temporary immune refractoriness, 482
- LAMERS, C.H.J. *see* GRATAMA, J.W.
- LAMOUR, A. *see* JAMIN, C.
- LAN, H.Y., NIKOLIC-PATERSON, D.J. & ATKINS, R.C. Trafficking of inflammatory macrophages from the kidney to draining lymph nodes during experimental glomerulonephritis, 336
- LANG, B. *see* RUDOLPHI, U.
- LANGSTEGGER, W. *see* DIMAL, P.
- LASSALLE, P. *see* JEANNIN, P.
- LATCHMAN, D.S. *see* HUNTRISS, J.D.
- LAURET, PH. *see* DAUCHEL, H.
- LEB, G. *see* DIMAL, P.
- LEBRANCHU, Y. *see* WELLCOME, S.M.
- LECROU, J.C., ROBLOT, P., CHEVALIER, S., MOREL, F., ALDERMAN, E., GOMBERT, J. & GASCAN, H. High circulating leukaemia inhibitory factor (LIF) in patients with giant cell arteritis: independent regulation of LIF and IL-6 under corticosteroid therapy, 23
- LEDUR, A. *see* THIEBLEMONT, N.
- LEE, C.A. *see* LIM, S.G.
- LIM, S.G., CONDEZ, A. & POULTER, L.W. Mucosal macrophage subsets of the gut in HIV: decrease in antigen-presenting cell phenotype, 442
- LIM, S.G., CONDEZ, A., LEE, C.A., JOHNSON, M.A., ELIA, C. & POULTER, L.W. Loss of mucosal CD4 lymphocytes is an early feature of HIV infection, 448
- LIN, Y., KIRBY, J.A., BROWELL, D.A., MORLEY, A.R., SHENTON, B.K., PROUD, G. & TAYLOR, R.M.R. Renal allograft rejection: expression and function of VCAM-1 on tubular epithelial cells, 145
- LINDLEY, I.J.D. *see* MERICO, F.
- LISIGNOLI, G., MONACO, M.C.G., DEGRASSI, A., TONEGUZZI, S., RICCHI, E., COSTIGLIOLA, P. & FACCHINI, A. *In vitro* immunotoxicity of  $\pm 2'$ -deoxy-3'-thiacytidine, a new anti-HIV agent, 455
- LOET, X. *see* DAUCHEL, H.
- LONGHURST, C. *see* EHRENSTEIN, M.
- LYDYARD, P.M. *see* McCULLOCH, J.
- MACDERMOTT, R.P., SCHREIBER, S., NASH, G.S. & KOOPMAN, W.J. Increased spontaneous secretion of rheumatoid factor by intestinal lamina propria mononuclear cells from Crohn's disease but not ulcerative colitis patients, 152
- MAEDA, J., UEKI, N., OHKAWA, T., IWAHASHI, N., NAKANO, T., HADA, T. & HIGASHINO, K. Local production and localization of transforming growth factor-beta in tuberculous pleurisy, 32
- MAINI, R.N. *see* ADEBAJO, A.O.
- MAINI, R.N. *see* WILLIAMS, R.O.
- MAJURI, M.-L. *see* PALKAMA, T.
- MALONE, C.C. *see* WILLIAMS, R.C.
- MANGER, B. *see* WOITH, W.
- MARGALITH, M. *see* FRIEDMAN, M.G.
- MARSH, M.N. *see* ENSARI, A.
- MARUYAMA, H. *see* MURAKAMI, K.
- MASON, J.C. *see* WELLCOME, S.M.
- MASUDA, T. *see* MURAKAMI, K.
- MATTLA, P. *see* PALKAMA, T.
- MATTSSON, R. *see* HANSSON, I.
- MAUFF, G. *see* DE MESSIAS, I.J.T.
- McCULLOCH, J., LYDYARD, P.M. & ROOK, G.A.W. Rheumatoid arthritis: how well do the theories fit the evidence?, 1
- MELCHERS, I. *see* RUDOLPHI, U.
- MERICO, F., BERGUI, L., GREGORETTI, M.G., GHIA, P., AIMO, G., LINDLEY, I.J.D. & CALIGARIS-CAPPIO, F. Cytokines involved in the progression of multiple myeloma, 27
- MERIN, G. *see* LAHAT, N.
- MICHELL, R.H. *see* KATIRA, A.
- MIELI-VERGANI, G. *see* VERGANI, D.
- MILIS, L., MORRIS, C.A., SHEEHAN, M.C., CHARLESWORTH, J.A. & PUSSELL, B.A. Vitronectin-mediated inhibition of complement: evidence for different binding sites for C5b-7 and C9, 114
- MILLWARD, B.A. *see* WONG, F.S.
- MIYATA, M. *see* KOBAYASHI, E.
- MOMMAAS, A.M., MULDER, A.A., VERMEER, M., BOOM, B.W., TSENG, C., TAYLOR, J.R. & STREILEIN, J.W. Ultrastructural studies bearing on the mechanism of UVB-impaired induction of contact hypersensitivity to DNCB in man, 487
- MONACO, M.C.G. *see* LISIGNOLI, G.
- MOOI, P. *see* DIMAL, P.
- MOREL, F. *see* LECROU, J.C.
- MORGAN, S. *see* ENSARI, A.
- MORI, Y. *see* MURAKAMI, K.
- MORIARTY, K.J. *see* ENSARI, A.
- MORLEY, A.R. *see* LIN, Y.
- MORRIS, C.A. *see* MILIS, L.
- MORRIS, P.J. *see* PEARSON, T.C.
- MULDER, A.A. *see* MOMMAAS, A.M.
- MUNEKATA, M. *see* NAKAMURA, A.
- MURA, C. *see* YAMAMOTO, A.M.
- MURAKAMI, K., HOSONO, M., MARUYAMA, H., MORI, Y., NISHIO, A., FUKUMOTO, M., WATANABE, Y., INABA, M., KURIBAYASHI, K., SAKAI, M. & MASUDA, T. Concomitant enhancement of the response to Mls-1<sup>a</sup> antigens and the induction of post-thymectomy autoimmune gastritis in BALB/c mice, 500
- NABIOULLIN, R. *see* NAKAMURA, A.
- NAKAJIMA, H., HIYAMA, Y., TAKAMORI, H. & TSUKADA, W. Cell-mediated transfer of collagen-induced arthritis in mice and its application to the analysis of the inhibitory effects of interferon-gamma and cyclophosphamide, 328
- NAKAMURA, A., SONE, S., NABIOULLIN, R., SUGIHARA, K., MUNEKATA, M., NISHIOKA, Y., NII, A. & OGURA, T. Augmentation by transferrin of IL-2-inducible killer activity and perforin production of human CD8<sup>+</sup> T cells, 174
- NAKANO, T. *see* MAEDA, J.
- NAPOLI, J.L. *see* WANG, W.
- NARISAWA, M., KAWACHI, H., OITE, T. & SHIMIZU, F. Divalency of the monoclonal antibody 5-1-6 is required for induction of proteinuria in rats, 522
- NASH, G.S. *see* MACDERMOTT, R.P.
- NEWKIRK, M.M. *see* FERRARO, A.S.
- NICHTERLEIN, T. *see* WAGNER, J.A.
- NII, A. *see* NAKAMURA, A.
- NIKOLIC-PATERSON, D.J. *see* LAN, H.Y.
- NISHIO, A. *see* MURAKAMI, K.
- NISHIOKA, Y. *see* NAKAMURA, A.
- NISSEN, M.H. *see* WILLIAMS, R.C.
- NORITAKE, M. *see* WAKIYAMA, H.
- NORSWORTHY, P.J. *see* TONOLI, M.
- NÜSSLEIN, I. *see* WOITH, W.
- OBIOLO, G. *see* ROURA-MIR, I.C.
- OGURA, T. *see* NAKAMURA, A.
- OHKAWA, T. *see* MAEDA, J.
- OITE, T. *see* KAWACHI, H.
- OITE, T. *see* NARISAWA, M.
- OLIVA, A. *see* PANDOLFI, F.
- OOSTEROM, R. *see* GRATAMA, J.W.
- PABST, R. *see* ROTHKÖTTER, H.J.
- PAGANELLI, R. *see* PANDOLFI, F.
- PALKAMA, T., MAJURI, M.-L., MATTLA, P., HURME, M. & RENKONEN, R. Regulation of endothelial adhesion molecules by ligands binding to the scavenger receptor, 353
- PANAYI, G.S. *see* CHIKANZA, I.C.
- PANDOLFI, F., PAGANELLI, R., OLIVA, A., QUINTI, I., POLIDORI, V., FANALES-BELASIO, E., GUERRA, E. & AIUTI, F. Increased IL-6 gene

- expression and production in patients with common variable immunodeficiency, 239
- PEARSON, T.C., BUSHELL, A.R., DARBY, C.R., WEST, L.J., MORRIS, P.J. & WOOD, K.J. Lymphocyte changes associated with prolongation of cardiac allograft survival in adult mice using anti-CD4 monoclonal antibody, 211
- PENNEC, Y.L. *see* JAMIN, C.
- PENNY, R. *see* BOYLE, M.J.
- PESTEL, J. *see* JEANNIN, P.
- PETER, H.H. *see* RUDOLPHI, U.
- PEZZOLI, P. *see* BOYER, V.
- PIRNER, K. *see* WOITH, W.
- POLIDORI, V. *see* PANDOLFI, F.
- POULTER, L.W. *see* LIM, S.G.
- PROUD, G. *see* LIN, Y.
- PUJOL-BORRELL, R. *see* ROURA-MIR, I.C.
- PUJOL-BORRELL, R. *see* VIVES-PI, M.
- PUSSELL, B.A. *see* MILIS, L.
- QUADE, B. *see* WAGNER, J.A.
- QUINTI, I. *see* PANDOLFI, F.
- RANIERI, E. *see* SCHENA, F.P.
- RENKONEN, R. *see* PALKAMA, T.
- RENTZ, M. *see* SEELIG, R.
- RICCHI, E. *see* LISIGNOLI, G.
- RIPOCHE, J. *see* DAUCHEL, H.
- ROBLLOT, P. *see* LECRON, J.C.
- ROJAS, M. *see* AVILA, J.L.
- ROKUTANDA, M. *see* WAKIYAMA, H.
- ROOK, G.A.W. *see* MCCULLOCH, J.
- ROSS, D.A. *see* BARRETT, A.W.
- ROSS, G.D. & VĚTVÍČKA, V. CR3(CD11b, CD18): a phagocyte and NK cell membrane receptor with multiple ligand specificities and functions, 181
- ROTHKÖTTER, H.J., HUBER, T., BARMAN, N.N. & PARST, R. Lymphoid cells in afferent and efferent intestinal lymph: lymphocyte subpopulations and cell migration, 317
- ROURA-MIR, I.C., ALCALDE, L., VARGAS, F., TOLOSA, E., OBIOLS, G., FOZ, M., JARAQUEMADA, D. & PUJOL-BORRELL, R.  $\gamma\delta$  Lymphocytes in endocrine autoimmunity: evidence of expansion in Graves' disease but not in type 1 diabetes, 288
- ROUX-LOMBARD, P. *see* CHIKANZA, I.C.
- RUDOLPHI, U., HOHLBAUM, A., LANG, B., PETER, H.H. & MELCHERS, I. The B cell repertoire of patients with rheumatoid arthritis. Frequencies and specificities of peripheral blood B cells reacting with human IgG, human collagens, a mycobacterial heat shock protein and other antigens, 404
- RUF, J., FERRAND, M., DURAND-GORDE, J.M., DE MICCO, C. & CARAYON, P. Significance of thyroglobulin antibodies cross-reactive with thyroperoxidase (TGPO antibodies) in individual patients and immunized mice, 65
- SAKAI, M. *see* MURAKAMI, K.
- SANSONNO, D. *see* DAMMACCO, F.
- SANTAMARIA, J. *see* DE MESSIAS, I.J.T.
- SAROV, B. *see* FRIEDMAN, M.G.
- SARRI, Y. *see* VIVES-PI, M.
- SAUGER, F. *see* DAUCHEL, H.
- SCHENA, F.P., SCIVITTARO, V., RANIERI, E., SINICO, R., BENUZZI, S., CILLO, M. DI & AVENTAGGIATO, L. Abnormalities of the IgA immune system in members of unrelated pedigrees from patients with IgA nephropathy, 139
- SCHREIBER, S. *see* MACDERMOTT, R.P.
- SCHRÖTER, H. *see* SEELIG, R.
- SCIVITTARO, V. *see* SCHENA, F.P.
- SEELIG, H.P. *see* SEELIG, R.
- SEELIG, R., RENTZ, M., BÜNGER, G., SCHRÖTER, H. & SEELIG, H.P. Anti-LKM-1 antibodies determined by use of recombinant P450 2D6 in ELISA and Western blot and their association with anti-HCV and HCV-RNA, 373
- SEGAL, B. *see* FRIEDMAN, M.G.
- SERJEANTSON, S.W. *see* JAZWINSKA, E.C.
- SEWELL, W.A. *see* BOYLE, M.J.
- SHEEHAN, M.C. *see* MILIS, L.
- SHENTON, B.K. *see* LIN, Y.
- SHIMIZU, F. *see* KAWACHI, H.
- SHIMIZU, F. *see* NARISAWA, M.
- SHINOMIYA, M. *see* WAKIYAMA, H.
- SHINOMIYA, N. *see* WAKIYAMA, H.
- SHILLER, R. *see* LAHAT, N.
- SILVA, M.T. *see* CASTRO, A.P.
- SINICO, R. *see* SCHENA, F.P.
- SISKIND, J.J. *see* ARREAZA, E.E.
- SMITH, C.I.E. *see* GARDULF, A.
- SMITH, L.R. *see* BOYER, V.
- SMOLEN, J.S. *see* KINDÄS-MÜGGE, I.
- SOMOZA, N. *see* VIVES-PI, M.
- SONE, S. *see* NAKAMURA, A.
- Sonnenberg, A. *see* Dolman, K.M.
- STAD, R.K., BRUIJN, J.A., VAN GILSWIJK-JANSSEN, D.J., VAN ES, L.A. & DAHA, M.R. An acute model for IgA-mediated glomerular inflammation in rats induced by monoclonal polymeric rat IgA antibodies, 514
- STEINER, G. *see* KINDÄS-MÜGGE, I.
- STEVENSON, M.M. & TAM, M.-F. Differential induction of helper T cell subsets during blood-stage *Plasmodium chabaudi* AS infection in resistant and susceptible mice, 77
- STIEGLER, C. *see* DIMAL, P.
- STOTER, G. *see* GRATAMA, J.W.
- STREILEIN, J.W. *see* MOMMAAS, A.M.
- SUGIHARA, K. *see* NAKAMURA, A.
- TAKAMORI, H. *see* NAKAJIMA, H.
- TAM, M.-F. *see* STEVENSON, M.M.
- TANG, M., KEMP, A. & VARIGOS, G. IL-4 and interferon-gamma production in children with atopic disease, 120
- TAYLOR, J.R. *see* MOMMAAS, A.M.
- TAYLOR, R.M.R. *see* LIN, Y.
- THIEBLEMONT, N., HAEFFNER-CAVAILLON, N., LEDUR, A., L'AGE-STEHR, J., ZIEGLER-HEITBROCK, H.W.L. & KAZATCHKINE, M.D. CR1 (CD35) and CR3 (CD11b/CD18) mediate infection of human monocytes and monocytic cell lines with complement-opsonized HIV independently of CD4, 106
- THOMINE, E. *see* DAUCHEL, H.
- THRANE, P.S., HALSTENSEN, T.S., HAANAES, H.R. & BRANDTZAEG, P. Increased epithelial expression of HLA-DQ and HLA-DP molecules in salivary glands from patients with Sjögren's syndrome compared with obstructive sialadenitis, 256
- TODD, A., COAN, R. & ALLEN, A. Pigeon breeders' lung: IgG subclasses to pigeon intestinal mucin and IgA antigens, 494
- TOLOSA, E. *see* ROURA-MIR, I.C.
- TONEGUZZI, S. *see* LISIGNOLI, G.
- TONNEL, A.-B. *see* JEANNIN, P.
- TONOLI, M., DAVIES, K.A., NORSWORTHY, P.J., COHEN, J. & WALPORT, M.J. The anti-lipid A antibody HA-1A binds to rough Gram-negative bacteria, fixes complement and facilitates binding to erythrocyte CR1 (CD35), 232
- TOOL, A.T.J. *see* DOLMAN, K.M.
- TOYAMA, N. *see* KOBAYASHI, E.
- TRAUGER, R.J. *see* BOYER, V.
- TRON, F. *see* DAUCHEL, H.
- TSCHUCHNIGG, M. *see* BOYLE, M.J.
- TSENG, C. *see* MOMMAAS, A.M.
- TSUKADA, W. *see* NAKAJIMA, H.
- TSURU, S. *see* WAKIYAMA, H.
- TURNER, J.J. *see* BOYLE, M.J.
- UEKI, N. *see* MAEDA, J.
- UMEZAWA, Y. *see* WAKIYAMA, H.
- VALENTINE, J.E. *see* BOYLE, M.J.
- VAN BREDA, VRIESMAN, P.J.C. *see* GRAUS, Y.M.F.
- VAN DE SANDE, J.H. *see* KRISHNA, P.
- VAN DE WINKEL, J.G.J. *see* DUTS, A.J.
- VAN ES, L.A. *see* STAD, R.K.
- VAN GILSWIJK-JANSSEN, D.J. *see* STAD, R.K.

- VARGAS, F. *see* ROURA-MIR, I.C.
- VARGAS, F. *see* VIVES-PI, M.
- VARIGOS, G. *see* TANG, M.
- VASSILEV, T., GELIN, C., KAVERI, S.V., ZILBER, M.-T., BOUMSELL, L. & KAZATCHKINE, M.D. Antibodies to the CD5 molecule in normal human immunoglobulins for therapeutic use (intravenous immunoglobulins, IVIg), 369
- VERGANI, D. & MIELI-VERGANI, G. Type II autoimmune hepatitis: the conundrum of cytochrome P450IID6, 367
- VERMEER, M. *see* MOMMAAS, A.M.
- VĚTVIČKA, V. *see* ROSS, G.D.
- VINER, N.J., GASTON, J.S.H. & BACON, P.A. Synovial fluid antigen-presenting cell function in rheumatoid arthritis, 251
- VIVES-PI, M., SOMOZA, N., VARGAS, F., ARMENGOL, P., SARRI, Y., WU, J.Y. & PUJOL-BORRELL, R. Expression of glutamic acid decarboxylase (GAD) in the  $\alpha$ ,  $\beta$  and  $\delta$  cells of normal and diabetic pancreas: implications for the pathogenesis of type I diabetes, 391
- VRIESMAN, P.J.C. *see* GRAUS, Y.M.F.
- WACHMANN, H. *see* KONRADSEN, H.B.
- WAGNER, J.A., KRETSCHMAR, M., NICHTERLEIN, T., HOF, H. & QUADE, B. Failure of FK 506 to suppress the T cell-mediated immunity of mice to *Listeria monocytogenes*, 473
- WAKELAM, M. *see* KATIRA, A.
- WAKIYAMA, H., TSURU, S., HATA, N., SHINOMIYA, M., SHINOMIYA, N., NORITAKE, M., UMEZAWA, Y. & ROKUTANDA, M. Therapeutic effect of granulocyte colony-stimulating factor and cepem antibiotics against experimental infections in neutropenic mice induced by cyclophosphamide, 218
- WALPORT, M.J. *see* TONOLI, M.
- WANG, W., NAPOLI, J.L. & BALLOU, M. The effects of retinol on *in vitro* immunoglobulin synthesis by cord blood and adult peripheral blood mononuclear cells, 164
- WATANABE, Y. *see* MURAKAMI, K.
- WATRET, K.C., WHITELAW, J.A., FROEBEL, K.S. & BIRD, A.G. Phenotypic characterization of CD8<sup>+</sup> T cell populations in HIV disease and in anti-HIV immunity, 93
- WEKSLER, M.E. *see* ARREAZA, E.E.
- WELLCOME, S.M., KAPAH, P., MASON, J.C., LEBRANCHU, Y., YARWOOD, H. & HASKARD, D.O. Detection of a circulating form of vascular cell adhesion molecule-1: raised levels in rheumatoid arthritis and systemic lupus erythematosus, 412
- WEN, L. *see* WONG, F.S.
- WEST, L.J. *see* PEARSON, T.C.
- WHITELAW, J.A. *see* WATRET, K.C.
- WHITE-OWEN, C., HARTMANN, S., ALEXANDER, J.W. & BABCOCK, G.F. Reduced PMN  $\beta_2$  integrins after trauma: a possible role for colony-stimulating factors, 477
- WIEBEL, M. *see* KLEIN, R.
- WILDERS-TRUSCHNIG, M. *see* DIMAL, P.
- WILLIAMS, D.G. *see* HUNTRISS, J.D.
- WILLIAMS, D.G. *see* WILLIAMS, R.O.
- WILLIAMS, R.C., NISSEN, M.H. & MALONE, C.C. Rheumatoid factors from patients with rheumatoid arthritis react with Des-Lys<sup>58</sup>- $\beta_2$ m, modified  $\beta_2$ -microglobulin, 419
- WILLIAMS, R.O., WILLIAMS, D.G., FELDMANN, M. & MAINI, R.N. Increased limb involvement in murine collagen-induced arthritis following treatment with anti-interferon-gamma, 323
- WINKLER, T.H. *see* WOITH, W.
- WOITH, W., NÜSSLEIN, I., ANTONI, C., DEJICA, D.I., WINKLER, T.H., HERRMANN, M., PIRNER, K., KALDEN, J.R. & MANGER, B. A soluble form of the human transferrin receptor is released by activated lymphocytes *in vitro*, 537
- WONG, F.S., HIBBERD, M.L., WEN, L., MILLWARD, B.A. & DEMAINE, A.G. The human T cell receptor V $\beta$  repertoire of normal peripheral blood lymphocytes before and after mitogen stimulation, 361
- WOOD, K.J. *see* PEARSON, T.C.
- WU, J.Y. *see* VIVES-PI, M.
- YAMAMOTO, A.M., MURA, C., DE LEMOS-CHIARANDINI, C., KRISHNA-MOORTHY, R. & ALVAREZ, F. Cytochrome P450IID6 recognized by LKM1 antibody is not exposed on the surface of hepatocytes, 381
- YARWOOD, H. *see* WELLCOME, S.M.
- YOUNOU, P. *see* JAMIN, C.
- ZEDAKA, R. *see* FRIEDMAN, M.G.
- ZIEGLER-HEITBROCK, H.W.L. *see* THIEBLEMONT, N.
- ZILBER, M.-T. *see* VASSILEV, T.
- ZLOTNICK, A.Y. *see* LAHAT, N.

## Subject Index

2'-deoxy-3'-thiacytidine, 455

ABA-1, 125  
activation, 185  
adhesion, 412  
adhesion molecules, 296, 303  
ageing, 169  
AIDS, 442, 448  
AIDS-related complex, 100  
allergen, 125  
anaemia, 537  
ANCA, 58  
ancestral haplotypes, 14  
animal model, 514  
anti-CMV antibodies, 425  
anti-DNA, 39  
anti-EBNA antibodies, 425  
anti-HCV, 373  
anti-HCV antibodies, 205  
anti-LKM-1, 373  
anti-LKM1 antibody, 381  
anti-M2, 308  
anti-Sm antibodies, 263  
anti-VZV antibodies, 425  
anti-idiotypic, 169  
antibiotics, 218  
antibodies, 404, 460  
antigen challenge, 303  
antigen-presenting cells, 251  
antiretroviral drugs, 455  
arthritis, 328  
*Ascaris*, 125  
atherosclerosis, 353  
atopy, 120  
autoantibodies, 46, 58, 65, 73, 404, 419  
autoantibody, 500  
autoantigen, 391  
autoimmune disease, 500  
autoimmune hepatitis, 381  
autoimmune thyroid disease, 296  
autoimmune thyroid diseases, 65  
autoimmunity, 288, 506  
AZT, 455

$\beta_2$  integrins, 477  
 $\beta_2$ -microglobulin, 419  
B cell repertoire, 404  
B lymphocytes, 347  
BF, 284  
biological activity, 133

C2, 284  
C3 receptor, 181  
C4, 284  
cancer immunotherapy, 185  
cardiomyopathy, 460  
C23, 347  
CD32, 225  
CD4, 211  
CD4<sup>+</sup>CD29<sup>+</sup>, 245  
CD4<sup>+</sup>CD45RA<sup>+</sup>, 245  
CD40, 347  
CD5, 245, 369  
CD64, 225  
CD72, 245  
CD8<sup>+</sup> cells, 93  
CD8<sup>+</sup> T cell, 174

cell-mediated immunity, 473  
chagasic, 460  
childhood, 120  
chronic active hepatitis, 373  
clusterin, 274  
coeliac, 303  
collagen, 404  
collagen II arthritis, 432  
collagen-induced arthritis, 323  
colony-stimulating factors, 477  
common variable immunodeficiency, 239  
complement, 232, 268, 514  
complement genetics, 284  
complement inhibition, 114  
complement receptor type 1, 232  
complement receptors, 106  
cord blood, 164  
corticosteroid therapy, 23  
CR3, 181  
cross-linking, 522  
cyclophosphamide, 218, 328  
cyclosporin A, 473  
cytochrome P450 2D6, 373  
cytochrome P450IID6, 381  
cytokine, 145  
cytokines, 7, 27, 100, 256, 455  
cytolytic activities, 185  
cytotoxic activity, 93

DBA/1 mice, 323  
dendritic cell, 442  
dendritic cells, 397  
*Der p 1*, 133  
Des-Lys<sup>58</sup>- $\beta_2$ m, 419  
dilated, 460  
direct sequencing, 268  
disease susceptibility, 506  
E-selectin, 353  
endemic goitre, 397  
endothelial cell, 353  
endothelium, 274  
eosinophil peroxidase, 58  
Epstein-Barr virus, 7, 164  
erythema nodosum leprosum, 284

Fab, 522  
F(ab')<sub>2</sub>, 522  
Fc $\epsilon$  receptor-bearing cell, 133  
Fc $\gamma$ R, 225  
fibroblasts, 296  
FK 506, 473  
flow cytometry, 361

$\gamma\delta$  T cell, 288  
G-CSF, 218  
gammaglobulin treatment, 200  
gastritis, 500  
gastrointestinal immunology, 448  
genetic factors, 532  
giant cell arteritis, 23  
glomerulonephritis, 336  
glutamic acid decarboxylase, 741  
gluten, 303  
graft-versus-host reaction, 527  
granulocytes, 466  
granulomatous inflammation, 32  
Graves' ophthalmopathy, 296



- HCV-RNA, 373  
 health, 200  
 healthy subjects, 46  
 heat shock protein, 404  
 heat shock proteins 72/73 kD, 46  
 heparin-binding site, 114  
 hepatitis C virus, 205  
 high density lipoproteins, 51  
 HIV, 93, 100, 106, 437, 455  
 HLA class II, 487  
 HLA-DP, 256  
 HLA-DQ, 256  
 HLA-DR, 256  
 house dust mite allergy, 133  
 human islet cells, 391  
 hypogammaglobulinaemia, 200
- ICAM-1, 397  
 IgA, 514  
 IgA nephropathy, 139, 514  
 IgE, 125  
 IgG subclass, 532  
 IL-2, 174, 482  
 IL-4, 120, 347  
 IL-6, 23, 225, 239  
 immune complex, 274  
 immunity, 169  
 immunogenetics, 1  
 immunoglobulin A, 139  
 immunoglobulin defect, 239  
 immunoglobulin synthesis, 164  
 immunohistochemistry, 448  
 immunopathology, 7  
 immunophenotyping, 185  
 inbred mice, 77  
 infection, 218, 466  
 infections, 73  
 infectious mononucleosis, 7  
 inflammation, 19, 274, 466  
 inflammatory bowel disease, 152  
 inflammatory cell, 342  
 inhibitors, 347  
 intercellular adhesion molecule-1, 353  
 interferon-gamma, 77, 120, 145, 323, 328  
 intestinal immunoglobulin, 152  
 intestinal inflammation, 152  
 intestinal lymphatics, 317  
 intravenous immunoglobulins, 205, 369
- kidney lymph node, 336
- Langerhans cells, 158, 487  
 lepromatous leprosy, 284  
 leukaemia inhibitory factor, 23  
 lipopolysaccharide, 232  
*Listeria monocytogenes*, 473  
 liver transplantation, 527  
 low CD4<sup>+</sup> T cell counts, 437  
 low density lipoproteins, 51  
 lymphadenopathy syndrome, 100  
 lymphocyte, 303, 412  
 lymphocyte migration, 317  
 lymphocyte subsets, 317, 448
- macrophage subsets, 442  
 macrophage trafficking, 336  
 macrophages, 84  
 major histocompatibility complex, 284  
 malaria, 77  
 melatonin, 432  
 mesangial cell, 342  
 MHC, 14  
 MHC class II, 397
- MHC restriction, 125  
 mice, 432  
 Mls antigen, 500  
 MoAb, 342  
 MoAbs, 39  
 monoclonal antibodies, 506  
 monoclonal antibody, 211, 522  
 monocyte/macrophage, 181  
 monocytes, 106  
 MRP8/MRP14, 84  
 mucosal immune response, 194  
 mucosal immunity, 442  
 multiple myeloma, 27  
 myasthenia gravis, 506  
 mycobacteria, 308, 466
- natural antibodies, 369  
 natural killer cell, 181  
 nematodes, 125  
 neonates, 194  
 neutrophil, 181, 303  
 neutrophils, 466, 477
- onchocerciasis, 84  
 open-heart surgery, 482  
 oral mucosa, 158
- pancreas/spleen transplantation, 527  
 peptides, 133  
 perforin cytotoxicity, 174  
 phagocytosis, 181  
 phospholipids, 51  
 phytohaemagglutinin, 361  
 pig, 317  
 pigeon IgA, 494  
 pigeon IgG3, 494  
 pigeon breeders' lung, 494  
 pigeon intestinal mucin, 494  
 pinealectomy, 432  
*Plasmodium chabaudi*, 77  
 pneumococcal, 532  
 polymerase chain reaction, 100, 205, 268, 361  
 polysaccharides, 532  
 primary biliary cirrhosis, 308  
 protamine sulphate, 114  
 proteinuria, 342, 522  
 pyruvate dehydrogenase, 308
- quality of life, 200
- recombinant IL-2, 185  
 rectal mucosa, 303  
 relatives, 139  
 retinoic acid, 164  
 retinoids, 164  
 retinol, 164  
 rheumatoid arthritis, 1, 19, 245, 251, 404, 412, 425  
 rheumatoid factor, 152, 404, 419  
 rheumatoid factors, 425  
 rotavirus vaccine, 194
- salivary IgA, 194  
 scavenger receptor, 353  
 secretion, 152  
 serum IgA, 194  
 Sjögren's syndrome, 245, 256  
 slow bacterial infection, 1  
 Sm N/Sm B autoantigens, 263  
 small bowel transplantation, 527  
 snRNP, 263  
 soluble ICAM-1, 296  
 soluble IL-2 receptor, 482  
 soluble transferrin receptor, 537  
*Staphylococcus aureus* Cowan I, 164

- stromal cells, 27  
sulphatide, 460  
superantigen, 437  
systemic lupus erythematosus, 39, 46, 51, 263, 268, 412, 537  
  
T cell receptor, 288, 361  
T cells, 256  
T helper cell subsets, 77  
T lymphocyte subpopulations, 473  
TCC formation, 114  
terminal complement complex, 274  
tetanus toxoid, 169  
thymectomy, 500  
thyrocytes, 397  
thyroglobulin, 65  
thyroid, 288  
thyroperoxidase, 65  
TNF- $\alpha$ , 19  
TNF-sR55, 19  
TNF-sR75, 19  
transfectants, 225  
transfer, 328  
transferrin, 174  
transforming growth factor-beta, 32  
  
transplantation, 211  
trauma, 477  
tuberculosis, 308  
tuberculous pleurisy, 32  
tubular epithelium, 145  
tumoricidal activity, 181  
tumour necrosis factor, 14, 239  
tumour necrosis factor-alpha, 145  
type I diabetes, 391  
type II collagen, 328  
type-I diabetes, 288  
  
UVB, 487  
  
vascular cell adhesion molecule-1, 353  
Vb repertoire, 437  
VCAM-1, 145, 412  
vitronectin, 114  
VLA-4, 145  
  
West Africa, 73  
  
Z-DNA, 51



